



HEAT SAFETY

FOR YOU AND YOUR FAMILY

DURING A HEAT WAVE

- ✓ **Slow down:** Reduce, eliminate or reschedule strenuous activities until the coolest time of the day. Children, seniors and anyone with health concerns should stay in the coolest available place, not necessarily indoors.
- ✓ **Dress for summer:** Wear lightweight, loose-fitting, light-colored clothing to reflect heat.
- ✓ **Eat light:** Choose easy-to-digest foods such as fruit or salads. If you pack food, put it in a cooler or carry an ice pack. Meats and dairy products can spoil quickly in hot weather.
- ✓ **Drink plenty of water (not very cold):** Focus on non-alcoholic and decaffeinated fluids. Drink water even if you don't feel thirsty. If you're on a fluid-restrictive diet or have a problem with fluid retention, consult a physician before increasing consumption of fluids.
- ✓ **Use air conditioners:** Spend time in air-conditioned locations such as malls and libraries if your home isn't air conditioned.
- ✓ **Use portable electric fans:** Fans exhaust hot air from rooms or draw in cooler air. Do not direct the flow of portable electric fans toward yourself when room temperatures are hotter than 90°F. The dry blowing air will dehydrate you faster, endangering your health.
- ✓ **Minimize direct exposure to the sun.** Sunburn reduces your body's ability to dissipate heat. Take a cool bath or shower.
- ✓ **Do not take salt tablets:** Only take salt tablets if recommended by a physician.
- ✓ **Be aware of infants, older, sick or frail people and pets.** Never leave children, disabled adults or pets in a car.
- ✓ **For more heat health tips,** go to the Centers for Disease Control and Prevention: [cdc.gov](https://www.cdc.gov)

WARNING VS. WATCH

Excessive Heat Watch

An Excessive Heat Watch is typically issued two to five days ahead of possible dangerous heat conditions. Certainty regarding the development and timing of the event is lower than a warning.

Excessive Heat Warning

An Excessive Heat Warning, sometimes preceded by an Excessive Heat Watch, is typically issued within one to three days of the onset of extremely dangerous heat conditions and remains in effect until the extreme danger subsides. Certainty is high that the event will occur.

Heat Advisory

A Heat Advisory is typically issued within one to three days of the onset of dangerous heat and remains in effect until the danger subsides. These conditions pose a lesser, but still dangerous, risk to communities. Certainty is high that conditions will occur.

EXCESSIVE HEAT - AMERICA'S DEADLIEST WEATHER

Excessive heat poses a significant risk to people's health, including heat stroke and heat exhaustion, which can result in death. Excessive heat generally means unusually hot temperatures, possibly combined with oppressive humidity, that persists for two or more days. However, specific guidelines vary across the country and may be refined through work with local and state health professionals.



Drink plenty fluids in hot weather, even if you aren't thirsty.



HEAT CAN BE DANGEROUS

The Heat Index

The Heat Index is one way to measure how hot it feels when humidity is considered with the temperature. For example, when the temperature is 95 °F and the relative humidity is 50 percent, the Heat Index is 105 °F. To find the Heat Index temperature, use the chart or use the online calculator available at

weather.gov/safety/heat-index.

Heat Index temperatures shaded in red indicate extreme danger. The National Weather Service utilizes the Heat Index in many parts of the country to determine when and where to issue heat alerts.

NWS Heat Index TEMPERATURE (°F)

Relative Humidity (%)	80	82	84	86	88	90	92	94	96	98	100	102	104	106	108	110
40	80	81	83	85	88	91	94	97	101	105	109	114	119	124	130	136
45	80	82	84	87	89	93	96	100	104	109	114	119	124	130	137	
50	81	83	85	88	91	95	99	103	108	113	118	124	131	137		
55	81	84	86	89	93	97	101	106	112	117	124	130	137			
60	82	84	88	91	95	100	105	110	116	123	129	137				
65	82	85	89	93	98	103	108	114	121	128	136					
70	83	86	90	95	100	105	112	119	126	134						
75	84	88	92	97	103	109	116	124	132							
80	84	89	94	100	106	113	121	129								
85	85	90	96	102	110	117	126	135								
90	86	91	98	105	113	122	131									
95	86	93	100	108	117	127										
100	87	95	103	112	121	132										



LIKELIHOOD OF HEAT DISORDERS with Prolonged Exposure or Strenuous Activity

Caution	Extreme Caution	Danger	Extreme Danger
---------	-----------------	--------	----------------

HEAT EXHAUSTION	OR	HEAT STROKE
Faint or dizzy		Throbbing headache, confusion
Excessive sweating		No sweating
Cool, pale, clammy skin		Body temperature above 103° Red, hot, dry skin
Nausea or vomiting		Nausea or vomiting
Rapid, weak pulse		Rapid, strong pulse
Muscle cramps		May lose consciousness
<ul style="list-style-type: none"> Get to a cooler, air conditioned place Drink water if fully conscious Take a cool shower or use cold compresses 		<p>CALL 9-1-1</p> <ul style="list-style-type: none"> Move person to cooler place Cool using cool cloths or bath Do not give anything to drink



NEVER leave a baby, senior or pet locked in a car, even for a few minutes. Dozens of infants and untold numbers of pets die every year in hot vehicles.